


m-tec speedy P15V

STAINLESS STEEL



- Stainless steel hopper
- Variable output
- Screw-in/screw-out pump device
- Available as 400 V or combined 230 V/400 V version

Innovation:

Range of application:

- Ideal for the processing of reconstruction plaster, finishing plaster, synthetic resin plaster, crack plaster, adhesive mortar, reinforcing plaster, paints and fillers
- FU (Speed continuously controllable from 10 – 280 rpm)

Options:

- Extruder with C-coupling
- Probe for the control of the continuous mixer
- Transfer hose (piccolo silo) hose sets, spray equipment

Convincing advantages:

- Modular construction – handy – operationally-friendly
- Easy to clean
- Automatic mounting device for rotor/stator
- Fold out compressor mounting
- Connections for mixer and compressor
- Variable pump output 0,3 – 16 l/min



m-tec speedy P15V

EQUIPMENT AND ACCESSORIES

Part No. Description

speedy P15

**548900 m-tec speedy P15V
230 V, 50 Hz, 1 ph /
400 V, 50 Hz, 3 ph**

Scope of supply speedy P15V

- Pump motor 4,0 kW, output 0,3 – 16 l/min
- Control panel including frequency converter
- Removable material hopper V2A
- Mortar pump on transportable frame
- Stator, incl. rotor m-tec star
- Pump end piece M35, incl. hose pressure manometer and reducer V35/V25
- Reducer, cleaning M35/GEKA
- Connector cable for 400 V connection
- Connector cable for 230 V connection

548907	Material hopper V2A
548912	Stator m-tec star, with twist stop, blue
548911	Rotor m-tec star with bore
548921	Pump end piece compl. with M35 coupling, incl. hose press. manometer
606286	Reducer V35/V25
605105	Reducer M35/GEKA (Cleaning)
603045	Connector cable, 16A, 3-pin, 6 h / Protective contact 230 V, 25 m, compl.

Part No. Description

**548980 m-tec speedy P15V
400 V, 50 Hz, 3 ph**

Scope of supply speedy P15V

- Pump motor 4,0 kW, output 0,3 – 16 l/min
- Control panel including frequency converter
- Removable material hopper V2A
- Mortar pump on transportable frame
- Stator, incl. rotor m-tec star
- Pump end piece M35, incl. hose pressure manometer and reducer V35/V25
- Reducer, cleaning M35/GEKA
- Frequency converter 4 kW / 400 V, 3 ph

548907	Material hopper V2A
548912	Stator m-tec star, with end stop, blue
548911	Rotor m-tec star with bore
548921	Pump end piece compl. with M35 coupling, incl. hose press. manometer
606286	Reducer V35/V25
605105	Reducer M35/GEKA (Cleaning)

Option

548940	Extruder, compl. V2A, with C-Coupling
549458	Filling hopper V2A, for extruder

m-tec speedy P15V

ACCESSORIES

Part No.	Description	Price in €
Accessories		
Recommended accessories for pumps		
606286	Reducer V35/V25	19,1820
605066	Mortar hose NW25, V25/M25, 10 m long	127,00
545049	Mortar hose NW35, V35/M35, 13,3 m long	223,00
600285	Sponge rubber spheres D 35 mm	1,30
600286	Sponge rubber spheres D 45 mm	2,30
548912	Stator m-tec star with anti-rotation element, blue	59,80
548911	Rotor m-tec star with bore	58,50
600193	Radio remote control RC 2000	1.841,00
549215	Remote control cable, incl. toggle switch compl. 25 m	172,00
549235	Remote control cable, incl. toggle switch compl. 50 m	188,00
545330	Remote control cable	7,00
Recommended spraying accessories		
606286	Reducer V35/V25	19,10
605105	Reducer, cleaning M35/GEKA	22,80
605066	Mortar hose NW25, V25/M25, 10 m	127,00
545049	Mortar hose NW35, V35/M35, 13,3 m	223,00
600285	Sponge rubber spheres D 35 mm	1,30
600286	Sponge rubber spheres D 45 mm	2,30
548912	Stator m-tec star with anti-rotation element, blue	59,80
548911	Rotor m-tec star with bore	58,50
603041	Stator mono-star, can be re-tightened, green	69,10
603043	Rotor mono-star with bore	72,20
620318	Stator D4-1/1, can be re-tightened, white	57,60
620354	Rotor D4-1/1, with bore	68,40
620345	Stator D8-1.5, can be re-tightened, green	64,20
620324	Rotor D8-1.5, with bore	67,30
620334	Stator D4 – 1/2, can be re-tightened, grey	68,40
620330/001	Rotor D4 1/2, with bore	74,40
605145	Spray unit M25, straight, 200 mm long (Control via air valve)	94,50
606405	Single-hand operation adhesives pistol, green, compl., with hose NW19 – 2 m long, M25	870,00
606486	Adhesives pistol, compl., with rotating joint, adhesives hose	524,00
606495	Fine plaster spray head, compl., for adhesives pistol Type II	278,00

Part No.	Description
606496	Spray head, compl., for adhesives pistol Type II
549210/001	FPS-INTEGRA, compl., straight, M25
549205/001	FPS-INTEGRA, compl., right angle bend, M25
549420/001	FPS-INTEGRA, combi, compl., M25 incl. spray head and adhesives hose, magnetic switch (Control via remote cable, 4-pin)
601183	Remote control – extension cable, 4-pin, compl., 10 m
601187	Remote control - extension cable, 4-pin, compl., 25 m
549035	R-Meko 600, 230 V / 1ph
549030	R-Meko 720/D, 400 V / 50 Hz
549015	V-Meko 400/D, 400 V / 50 Hz
549010	V-Meko 400/W, 230 V / 1 ph
603065	V-Meko 250/W 230 V / 1ph
548898	Air valve, compl. (for speedy P15V)
602322	Air hose ½", 11 m, compl.

For spares for spray equipment, adhesives pistols, fine plaster spray units and mortar hoses, couplings and their spares, see under 'Other items'.

Options

606466	Y-piece V35 / 2 x V25, for two adhesives pistols
606467	Y-piece, elec. Connection, 4-pin, for two adhesives pistols
548950	Hopper attachment, V2A (V=70 l)
548907	Material hopper V2A
548940	Extruder, compl. V2A, with C-Coupling
549141	Suction hose NW50, C+B Coupling, 1,0 m long
548945	Suction hose NW50, C-Coupling both sides, 0,7 m long
548962	Suction hose NW75, B-Coupling both sides, 1,0 m long
501415	Transition coupling B to C, with pressure/suction seal
549458	Filling hopper V2A, for extruder
549040	Bag mangle for pasty material in the PE bag
548930	Probe Type NMS, one-way probe, including holder
606165	Connector cable 5 x 2,5, 50 m, 400 V (32 A, 5-pin, 6 h)
603045	Connector cable 16 A, 3-pin, 6 h / Schuko 25 m, compl.
548338	Connector cable, mixer to pump, 16 A, 5-pin, 2,5 m